

01-14-00

A

01/12/00
16712 U.S. PTO

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.: 4366-8
Case Name and No.: CHAN 11

Inventors: Norman C. Chan of 1818 Eisenhower Drive, Louisville, CO 80027

Express Mail Label No.: EL417654314US

Title: METHOD AND APPARATUS FOR GENERATING AUTOMATIC GREETINGS IN A CALL CENTER

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 2023116675 U.S. PTO
09/482969
01/12/00

Enclosed for filing with the above-identified utility patent application, please find the following:

1. ☒ Specification (Total Pages of Text, including Abstract and Claims: 17)
2. ☒ Drawing(s) (35 USC 113) (Total Sheets: 3) ☐ FORMAL ☒ INFORMAL
3. ☒ Declaration and Power of Attorney (Total Pages: 4) ☒ Signed ☐ Unsigned
4. ☒ Assignment Papers (cover sheet & document(s))
5. ☒ Return Postcard (MPEP 503) (should be specifically itemized)

FEE CALCULATION:

	(COL. 1) NO. FILED			(COL. 2*) NO. EXTRA	SMALL ENTITY			LARGE ENTITY	
					RATE	FEE		RATE	FEE
BASIC FEE:						\$345.00	OR		\$690.00
TOTAL CLAIMS:	22	-	20	2	X \$9 =		OR	X \$18 =	\$36.00
INDEP. CLAIMS:	3	-	3	0	X \$39 =		OR	X \$78 =	\$0.00
MULTIPLE DEPENDENT CLAIMS					+ \$130 =		OR	+ \$260 =	\$0.00
*IF THE DIFFERENCE IN COL. 2 IS LESS THAN ZERO, ENTER "0" IN COL. 2.					TOTAL:				\$726.00

OTHER INFORMATION:

1. ☒ The Commissioner is hereby authorized to debit any underpayments or credit any overpayment to Lucent Technologies Deposit Account No. 12-2325.
2. ☒ The Commissioner is hereby authorized to charge all required fees for extensions of time under §1.17 to Lucent Technologies Deposit Account No. 12-2325.
3. ☒ Correspondence Address:

John C. Scott
SHERIDAN ROSS P.C.
1560 Broadway, Suite 1200
Denver, Colorado 80202-5141
Telephone: (303) 863-9700
Facsimile: (303) 863-0223

EXPRESS MAIL MAILING LABEL NUMBER: EL417664314US
DATE OF DEPOSIT: 1/12/00

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 CFR 1.10 ON THE DATE INDICATED ABOVE AND IS ADDRESSED TO THE ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231

TYPED OR PRINTED NAME: Christine Jacquet

4. ☒ Telephone calls should be made to undersigned at (303) 863-9700.

Respectfully Submitted,

SHERIDAN ROSS P.C.

John C. Scott
Registration No. 38,613
Attorney for Applicants

Date:

1/12/00
Lucent Technologies, Inc.
600 Mountain Avenue
P.O. Box 636
Murray Hill, NJ 07974-0636

METHOD AND APPARATUS FOR GENERATING
AUTOMATIC GREETINGS IN A CALL CENTER

TECHNICAL FIELD

5 The invention relates generally to call centers and, more particularly, to call handling systems for use in call centers.

BACKGROUND OF THE INVENTION

10 One of the many functions that can be performed by a call center is to place outgoing calls to parties from whom a predetermined response is desired. The desired response can be, for example, an answer to a question or the purchase of a product or service. When the outgoing call is answered, a
15 call classifier unit is commonly used at the call center to determine whether a person (i.e., a live party) has answered the call or a machine (e.g., a telephone answering machine) has answered the call. If the call classifier determines that a live party has answered the call, control of the call is
20 switched over to a live agent at the call center who handles the remainder of the call. If the call classifier determines that the call was not answered by a live party, the call is terminated or alternative action is taken.

25 The call classifier unit usually processes the first audible signal that is received over the telephone line after the call has been answered to make its determination. For example, a person answering a telephone will typically speak

the word "hello" into the receiver and then wait for a response. The call classifier will process the "hello" signal while the called party waits. Because the processing performed by the call classifier unit generally takes a finite
5 amount of time to perform (e.g., a few seconds), the called party normally hears silence on the line while he is waiting for a response. When faced with this awkward situation, a called party will often misinterpret the call and hang up thinking that, for example, an error has occurred or a trick
10 is being played. The call center must then reinitiate the call or reschedule it for a later time. As can be appreciated, such occurrences can degrade overall call center performance.

Therefore, there is a need for a method and apparatus
15 that will reduce the occurrence of call terminations during call classifier processing in a call center.

SUMMARY OF THE INVENTION

The present invention relates to a method and apparatus
20 that is capable of increasing outgoing call success rates in a call center. The method and apparatus plays a prerecorded greeting for a called party during a period when a call classifier is processing an audible signal received during the call. Because the called party is listening to a greeting
25 during call classifier processing, he/she is less likely to misinterpret the call and thus hang up before call classifier processing is complete. In addition, the greeting affords the

call classifier additional time to perform call classification, thus increasing the accuracy of the classification process. Furthermore, use of a prerecorded greeting lightens the burden on the agent who normally handles
5 calls in the call center as he/she does not have to repeat the same greeting for every call placed.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram illustrating a call center in
10 accordance with one embodiment of the present invention; and

Figs. 2 and 3 are portions of a flowchart illustrating a process for managing an outgoing call in a call center in accordance with one embodiment of the present invention.

DETAILED DESCRIPTION

15 Fig. 1 is a block diagram illustrating a call center 10 in accordance with one embodiment of the present invention. The call center 10 is coupled to a public switched telephone network (PSTN) 12 for use in placing calls to any of a
20 multitude of remote user devices 14a, 14b, . . . , 14n. As illustrated, the call center 10 includes: a call processing unit 16, a pool of call classifier units 18, a message playback unit 20, and a pool of human agents 22. During normal operation, calls are placed from the call center 10 to
25 predetermined parties at the remote user devices 14a, 14b, . . . , 14n to attempt to obtain a desired response from the called parties. For example, it may be desired to have a party

subscribe to a particular service or purchase a particular product. Alternatively, it may be desired that the called party answer some questions or complete a survey. The performance of the call center 10 will normally be gauged by the number of calls that are successfully handled within a predetermined time period. Thus, it is very important that the number of calls that are prematurely terminated due to confusion or misunderstanding be minimized.

With reference to Fig. 1, the call processing unit 16 manages the placement and processing of calls and the recording of responses within the call center 10. When the call processing unit 16 determines that a call needs to be placed to a predetermined party, it dials a telephone number associated with the party to establish a communication connection with the party via PSTN 12. At the same time, or slightly thereafter, the call processing unit 16 assigns a call classifier from the call classifier pool 18 to the call for use in classifying audible signals received from the called party location during the call. The call classifier detects when the call has been answered and then waits for an audible signal from the called party location. When an initial audible signal is detected (which typically includes the word "hello" or a similar greeting), the call classifier assigned to the call processes the signal to determine whether it has originated from a live party or from a machine, such as an automated phone answering device. When the call classifier has completed processing of the audible signal, it delivers

the results of the processing to the call processing unit 16. If the call classifier indicates that the call was answered by a live party, the call processing unit 16 immediately patches a waiting agent from the agent pool 22 into the connection to
5 handle the remainder of the call. If the call classifier indicates that the call was not answered by a live party, the call processing unit 16 terminates the call or takes other action.

As can be appreciated, the processing performed by the
10 call classifier includes some inherent processing delay to ensure accurate call classification. Thus, after the call classifier has received the initial audible signal from the called party location, there is typically a period of time before the call processing unit 16 knows whether a live party
15 has answered. In accordance with the present invention, the call processing unit 16 signals the message playback unit 20 to play back a prerecorded greeting for the called party during the call classification period so that the called party will not be confused by an ensuing interval of silence.

20 In a preferred approach, the call classifier continues to monitor the call after the initial audible signal has been received from the called party location to detect a period of silence that lasts for at least a predetermined time period. This predetermined time period will generally be significantly
25 shorter than the average processing delay of the call classifier. When the call classifier detects the period of silence, it signals the call processing unit 16 which then

couple the message playback unit 20 into the connection and instructs the message playback unit 20 to begin playback of the prerecorded greeting. Other alternative occurrences can also be used to trigger playback of the prerecorded greeting.

5 For example, playback can be initiated a predetermined time after the call has been answered or after call classifier processing has begun.

The prerecorded greeting can include any prerecorded message that is designed to maintain or increase a called
10 party's interest in the present call so that the party will remain on the line until an agent can take over the call. For example, the prerecorded greeting can include a simple salutation (e.g., "Greetings from XYZ Corporation") with a short explanation of the purpose of the call. Preferably, the
15 greeting will be in the voice of the agent who will subsequently handle the call.

While the message playback unit 20 is playing back the prerecorded greeting, the call classifier unit assigned to the call is simultaneously processing the initial audible signal.
20 Eventually, the processing is completed and the results are transferred to the call processing unit 16. If the results indicate that the call was not answered by a live party, the call is immediately terminated. If the results indicate that the call was answered by a live party, the call processing
25 unit 16 determines whether the message playback unit 20 is still playing back the greeting. If not, the call processing unit 16 immediately couples an agent from the agent pool 22

into the connection to handle the remainder of the call. If the message playback unit 20 is still playing back the greeting, the call processing unit 16 waits for the greeting to be completed before coupling the agent into the connection.

5 After the agent has completed speaking with the called party, the call is terminated and the results of the call are recorded.

In a preferred embodiment, the call processing unit 16 is implemented using a programmable digital processing device, 10 such as a general purpose microprocessor or a digital signal processor. The call classifiers within the call classifier pool 18 can be implemented in hardware or software. Call classification structures and techniques are generally well known in the art. The message playback unit 20 can include 15 virtually any form of device that is capable of playing back stored voice signals in response to control signals from, for example, the call processing unit 16. For example, a conventional analog tape recorder device can be used. Alternatively, a device that is capable of playing back 20 digitized voice signals stored in, for example, a mass storage device associated with the call processing unit 16 can be utilized as the message playback unit 20. In addition to message playback functionality, the message playback unit 20 will also preferably include means for recording verbal 25 greetings from an agent.

The agents within the agent pool 22 are preferably human employees of the call center that are trained to solicit

processing a received signal to determine whether the signal originated from a live party or from a machine.

After an initial audible signal is detected from the first party location, analysis of the audible signal is initiated within the call classifier to determine whether the audible signal is a live human voice (step 104). The call classifier continues to monitor the communication medium after the initial audible signal has ended to detect a period of silence having a predetermined duration on the communication medium (step 106). When the period of silence is detected, a prerecorded message is played in response thereto (steps 108 and 110). Thus, the playback of the prerecorded message and the analysis of the audible signal by the call classifier are simultaneously performed within the call center.

It is next determined whether the call classifier has finished analyzing the audible signal (step 112). If not, the method waits for the analysis to be completed (step 114). The call classifier eventually makes a determination as to whether the initial audible signal is a live human voice or not. If the audible signal is determined by the call classifier to be other than a live human voice, the call is terminated (steps 116 and 118). If the audible signal is determined to be a live human voice, it is next determined whether playback of the prerecorded message has ended (step 120). If playback has not yet ended, the method waits until playback has ended (step 122). When playback has ended, a talk path is completed between the called party and a local

agent within the call center (step 124). The local agent then handles the remainder of the call. Although the present invention has been described in conjunction with its preferred embodiments, it is to be understood that modifications and variations may be resorted to without departing from the spirit and scope of the invention as those skilled in the art readily understand. Such modifications and variations are considered to be within the purview and scope of the invention and the appended claims.

What is claimed is:

1. A method for use in managing outgoing calls in a call center, comprising:

initiating a call to a first party from the call center via a communication medium;

5 monitoring said communication medium for signals received from a location associated with said first party after said step of initiating a call;

detecting an audible signal received from the first party location via said communication medium;

10 initiating processing of said audible signal in a call classifier to determine a characteristic of said audible signal; and

playing a prerecorded greeting during said call, said prerecorded greeting being played during a time period when
15 said call classifier is processing said audible signal.

2. The method claimed in claim 1, wherein:

said step of playing a prerecorded greeting includes detecting a period of silence on said communication medium and initiating playback of said prerecorded greeting in response
5 thereto.

3. The method claimed in claim 1, wherein:

said step of initiating processing includes initiating processing that will analyze whether said audible signal was generated by a live party during the call.

4. The method claimed in claim 3, further comprising the step of:

when said call classifier determines that said audible signal was generated by a live party at the first party location, establishing a talk path between the live party and an agent at the call center after playback of said prerecorded greeting has ended.

5. The method claimed in claim 3, further comprising the step of:

when said call classifier determines that said audible signal was not generated by a live party at the first party location, terminating the call.

6. The method claimed in claim 1, wherein:
said communication medium includes a local loop associated with a telephone network.

7. The method claimed in claim 1, wherein:
said step of initiating a call includes dialing a telephone number associated with said first party.

8. A method for use in managing an outgoing call comprising the steps of:

placing an outgoing call to a remote party location over a communication network;

13. The method claimed in claim 8, wherein:

said step of playing a prerecorded message includes detecting a period of silence after receipt of said signal and initiating playback of said prerecorded greeting in response thereto.

14. The method claimed in claim 8, wherein:

said step of establishing a talk path includes passing control of said call to said local agent for a remainder of the call.

15. A system for use within a call center, comprising:

a call processing unit for use in placing a call to a remote party location via a communication network;

a call classifier unit for analyzing a signal received from said remote party location to determine whether said signal originated from a live party during the call;

a message playback unit for playing back a prerecorded message to said remote party location while said call classifier unit is analyzing said signal; and

a switch unit for establishing a talk path between a local agent position and said remote party location when it is determined by said call classifier unit that said signal originated from a live party during the call.

16. The system claimed in claim 15, wherein:

said message playback unit plays back said prerecorded message in response to detection of a period of silence during said call.

17. The system claimed in claim 15, wherein:

said external communication network includes a public switched telephone network.

18. The system claimed in claim 15, wherein:

said external communication network includes at least one of the following: a satellite communication network, an optical fiber communication network, a local area network, a wide area network, a municipal area network, a private branch exchange network, an Internet network, and a terrestrial wireless network.

19. The system claimed in claim 15, wherein:

said call processing unit includes means for terminating said call when it is determined by said call classifier unit that said signal did not originate from a live party during the call.

20. The system claimed in claim 15, wherein:

said call processing unit and said switch unit are implemented within a common digital processor.

21. The system claimed in claim 15, wherein:

said call processing unit and said message playback unit are implemented within a common digital processor.

22. The system claimed in claim 15, wherein:

said call classifier unit is part of a pool of call classifier units; and

said call processing unit includes means for assigning
5 call classifier units from said pool of call classifier units to individuals calls being supported by the call center.

ABSTRACT

A call center includes a message playback unit for playing back a prerecorded greeting during an outgoing call while a call classifier unit within the call center processes an audible signal received from a remote party location. A call processing unit places a call to a remote party location via a communication network to attempt to elicit a desired response from the remote party. The call classifier then processes an audible signal received from the remote party location to determine whether or not the call was answered by a live party. The prerecorded greeting is then played while the call classifier is simultaneously processing the audible signal. If the call classifier determines that the call was answered by a live party, the call processing unit completes a talk path between the remote party location and a local agent at the call center who handles the remainder of the call. The call processing unit will normally wait until the greeting has ended to complete the talk path. If the call classifier determines that the call was not answered by a live party, the call processing unit will terminate the call.




Fig. 1

00210-622450




Fig. 2

00210-6962750




Fig. 3

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

DECLARATION AND POWER OF ATTORNEY

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled **METHOD AND APPARATUS FOR GENERATING AUTOMATIC GREETINGS IN A CALL CENTER** the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

I acknowledge the duty to disclose all information known to me which is material to patentability as defined in title 37, Code of Federal Regulations, 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application (s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

None

I hereby claim the benefit under Title 35, United States Code, 120 of any United states application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

DECLARATION

I hereby appoint the following attorney(s) with full power of substitution and revocation, to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith:

Lester H. Birnbaum	(Reg. No. 25830)
Richard J. Botos	(Reg. No. 32016)
Jeffery J. Brosemer	(Reg. No. 36096)
Kenneth M. Brown	(Reg. No. 37590)
Donald P. Dinella	(Reg. No. 39961)
Guy Eriksen	(Reg. No. 41736)
Martin I. Finston	(Reg. No. 31613)
James H. Fox	(Reg. No. 29379)
William S. Francos	(Reg. No. 38456)
Barry H. Freedman	(Reg. No. 26166)
Julio A. Garceran	(Reg. No. 37138)
Mony R. Ghose	(Reg. No. 38159)
Jimmy Goo	(Reg. No. 36528)
Anthony Grillo	(Reg. No. 36535)
Stephen M. Gurey	(Reg. No. 27336)
John M. Harman	(Reg. No. 38173)
John W. Hayes	(Reg. No. 33900)
Michael B. Johannesen	(Reg. No. 35557)
Mark A. Kurisko	(Reg. No. 38944)
Irena Lager	(Reg. No. 39260)
Christopher N. Malvone	(Reg. No. 34866)
Scott W. McLellan	(Reg. No. 30776)
Martin G. Meder	(Reg. No. 34674)
Geraldine Monteleone	(Reg. No. 40097)
John C. Moran	(Reg. No. 30782)
Michael A. Morra	(Reg. No. 28975)
Gregory J. Murgia	(Reg. No. 41209)
Claude R. Narcisse	(Reg. No. 38979)
Joseph J. Opalach	(Reg. No. 36229)
Neil R. Ormos	(Reg. No. 35309)
Eugen E. Pacher	(Reg. No. 29964)
Jack R. Penrod	(Reg. No. 31864)
Daniel J. Piotrowski	(Reg. No. 42079)
Gregory C. Ranieri	(Reg. No. 29695)
Scott J. Rittman	(Reg. No. 39010)
Eugene J. Rosenthal	(Reg. No. 36658)
Bruce S. Schneider	(Reg. No. 27949)
Ronald D. Slusky	(Reg. No. 26585)
David L. Smith	(Reg. No. 30592)
Patricia A. Verlangieri	(Reg. No. 42201)

Atty. Docket No. 4366-6
Case Name and No. Chan 11

John P. Veschi	(Reg. No. 29355)
David Volejnicek	(Reg. No. 29355)
Charles L. Warren	(Reg. No. 27407)
Jeffrey M. Weinick	(Reg. No. 36304)
Eli Weiss	(Reg. No. 17765)

I hereby appoint the attorney(s) on ATTACHMENT A as associate attorney(s) in the aforementioned application, with full power solely to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected with the prosecution of said application. No other powers are granted to such associate attorney(s) and such associate attorney(s) are specifically denied any power of substitution or revocation.

Full name of sole inventor (or 1st joint inventor): Norman C. Chan

Inventor's
signature  Date 1/6/2000

Residence: Louisville, Colorado

Citizenship: USA

Post Office Address: 1818 Eisenhower Drive
Louisville, CO 80027

002110-69623480

ATTACHMENT A

David F. Zinger	(Reg. No. 29127)
Craig C. Groseth	(Reg. No. 31713)
Michael L. Tompkins	(Reg. No. 30980)
Sabrina C. Stavish	(Reg. No. 33374)
Todd P. Blakely	(Reg. No. 31328)
Lewis D. Hansen	(Reg. No. 35536)
Joseph E. Kovarik	(Reg. No. 33005)
Gary J. Connell	(Reg. No. 32020)
Wannell M. Crook	(Reg. No. 31071)
Douglas W. Swartz	(Reg. No. 37739)
Bruce A. Kugler	(Reg. No. 38942)
Robert R. Brunelli	(Reg. No. 39617)
Tejpal S. Hansra	(Reg. No. 38172)
Dana L. Hartje	(Reg. No. 40638)
Don D. Cha	(Reg. No. 40945)
Angela Dallas-Pedretti	(Reg. No. 42460)
Benjamin B. Lieb	(Reg. No. 42801)
Bradley M. Knepper	(Reg. No. 44189)
Theresa A. Brown	(Reg. No. 32547)
John C. Scott	(Reg. No. 38613)
Miriam R. Drickman	(Reg. No. 42499)

Telephone calls should be made to Sheridan Ross P.C. at:

Phone No.: (303) 863-9700

Fax No.: (303) 863-0223

All written communications are to be addressed to:

John C. Scott
Sheridan Ross P.C.
Suite 1200
1560 Broadway
Denver, CO 80202-5141